

MENU

Search Mayo Clinic

Log in to Patient Account English

Request an Appointment Find a Doctor Find a Job Give Now

Patient Care & Health Information Diseases & Conditions

# Anal fissure

Request an Appointment

Symptoms & causes

Diagnosis & treatment

Doctors & departments

Care at Mayo Clinic

#### Overview

An anal fissure is a small tear in the thin, moist tissue (mucosa) that lines the anus. An anal fissure may occur when you pass hard or large stools during a bowel movement. Anal fissures typically cause pain and bleeding with bowel movements. You also may experience spasms in the ring of muscle at the end of your anus (anal sphincter).

Anal fissures are very common in young infants but can affect people of any age. Most anal fissures get better with simple treatments, such as increased fiber intake or sitz baths. Some people with anal fissures may need medication or, occasionally, surgery.

# **Symptoms**

Signs and symptoms of an anal fissure include:

- Pain, sometimes severe, during bowel movements
- Pain after bowel movements that can last up to several hours
- Bright red blood on the stool or toilet paper after a bowel movement
- · Itching or irritation around the anus
- A visible crack in the skin around the anus
- A small lump or skin tag on the skin near the anal fissure

#### When to see a doctor

Advertisement

Mayo Clinic does not endorse companies or products. Advertising revenue supports our for-profit mission.

**Advertising & Sponsorship** 

Policy | Opportunities | Ad Choices

#### Mayo Clinic Marketplace

Check out these best-sellers and special offers on books and newsletters from May Clinic.

FREE TRIAL - Mayo Clinic Health Letter

Best Treatment Strategies for Arthritis

Mayo Clinic on Digestive Health

Effective Home Remedies from Mayo Clir

The Mayo Clinic Diet Online

See your doctor if you have pain during bowel movements or notice blood on stools or toilet paper after a bowel movement.

#### **Request an Appointment at Mayo Clinic**

## Causes

Common causes of anal fissure include:

- · Passing large or hard stools
- Constipation and straining during bowel movements
- Chronic diarrhea
- Inflammation of the anorectal area, caused by Crohn's disease or another inflammatory bowel disease
- Childbirth

Less common causes of anal fissures include:

- Anal cancer
- HIV
- Tuberculosis
- Syphilis
- Herpes

### Risk factors

Factors that may increase your risk of developing an anal fissure include:

- Infancy. Many infants experience an anal fissure during their first year of life; experts aren't sure why.
- Aging. Older adults may develop an anal fissure partly due to slowed circulation, resulting in decreased blood flow to the rectal area.
- **Constipation.** Straining during bowel movements and passing hard stools increase the risk of tearing.
- Childbirth. Anal fissures are more common in women after they give birth.

- Crohn's disease. This inflammatory bowel disease causes chronic inflammation of the intestinal tract, which may make the lining of the anal canal more vulnerable to tearing.
- Anal intercourse.

# Complications

Complications of anal fissure can include:

- Failure to heal. An anal fissure that fails to heal within six weeks is considered chronic and may need further treatment.
- **Recurrence**. Once you've experienced an anal fissure, you are prone to having another one.
- A tear that extends to surrounding muscles. An anal fissure may
  extend into the ring of muscle that holds your anus closed (internal
  anal sphincter), making it more difficult for your anal fissure to heal.
  An unhealed fissure can trigger a cycle of discomfort that may require
  medications or surgery to reduce the pain and to repair or remove the
  fissure.

#### Prevention

You may be able to prevent an anal fissure by taking measures to prevent constipation. Eat high-fiber foods, drink fluids and exercise regularly to keep from having to strain during bowel movements.

By Mayo Clinic Staff

Anal fissure care at Mayo Clinic

#### Request an Appointment at Mayo Clinic

Diagnosis & treatment

References Share on: Facebook Twitter Jan. 06, 2018

# Related

Splitting doses for colonoscopy preparation

Colonoscopy

Symptom Checker

Dietary fiber

Mayo Clinic in Minnesota has been recognized as the best Gastroenterology & GI Surgery hospital in the nation for 2017-2018 by U.S. News & World Report.

Learn more about this top honor

#### Anal fissure

Symptoms & causes

**Diagnosis & treatment** 

**Doctors & departments** 

**Care at Mayo Clinic** 

Patient Care & Health Information Diseases & Conditions Anal fissure

CON-20157210



Request Appointment | Contact Us

About Mayo Clinic | Employees | Find a Job

Site Map | About This Site

Mayo Clinic is a not-forprofit organization. Make a donation.

PATIENT CARE & HEALTH INFO

Healthy Lifestyle

Symptoms A-Z

Diseases & Conditions A-Z

Tests & Procedures A-Z

Drugs & Supplements A-Z

Appointments

Patient & Visitor Guide

Billing & Insurance

DEPARTMENTS & CENTERS

Doctors & Medical Staff

Medical
Departments &
Centers

Research Centers & Programs

About Mayo Clinic

Contact Us

RESEARCH

Explore Research Labs

Find Clinical Trials

Research Faculty

Postdoctoral Fellowships

Discovery's Edge Magazine

Search Publications

Training Grant Positions

EDUCATION

Mayo Clinic College of Medicine and Science

Mayo Clinic Graduate School of Biomedical Sciences

Mayo Clinic School of Medicine

Mayo Clinic School of Continuous Professional Development

Mayo Clinic School of Graduate Medical

FOR MEDICAL PROFESSIONALS

Provider Relations

Online Services for Referring Physicians

Video Center

Publications

Continuing Medical Education

Mayo Medical Laboratories PRODUCTS & SERVICES

Healthy Living Program

Sports Medicine

Books and more ...

Mayo Clinic Health Letter

Medical Products

Population Health and Wellness Programs

Medical Laboratory Services Patient Online Services Education

Mayo Clinic School of Health Sciences

Alumni Center

Mayo Clinic Voice Apps

Any use of this site constitutes your agreement to the Terms and Conditions and Privacy Policy linked below.


Terms and Conditions

Privacy Policy

Notice of Privacy Practices

Reprint Permissions

A single copy of these materials may be reprinted for noncommercial personal use only. "Mayo," "Mayo Clinic," "MayoClinic.org," "Mayo Clinic Healthy Living," and the triple-shield Mayo Clinic logo are trademarks of Mayo Foundation for Medical Education and Research.



© 1998-2018 Mayo Foundation for Medical Education and Research (MFMER). All rights reserved.